ISO/IEC 17025
Accreditation No. 1031/47

Analysis Report **UPDATED**

Work Order	:	**BK2626105**	Date Received	:	Jul 17, 2026
Client	:	Crossmax Retail Co., Ltd.	Date Reported	:	Jul 24, 2026
		17/11 Soi Nawamin 111, Nawamin, Bueng Kum, Bangkok, Thailand, 10240	Report Number	:	BK2626105-AA
Project Location	:	Crossmax Retail Co., Ltd.			

Sample Number	BK2626105-005
Sampled Date	Jul 17, 2026
Sample Description	ผลิตภัณฑ์นมพาสเจอร์ไรส์โปรตีนสูง กลิ่นกล้วย สูตรปราศจากน้ำตาลแลคโตส (ตรา ฮูเร่!) Pasteurized High Protein Milk Product Banana Flavoured Lactose Free Formula (Hooray! Brand)
Date of Analysis	Jul 22, 2026
Condition of Sample	1x plastic bottle, refrigerated



Analytical Results

Analyte	*Unit*	*LOD*	*LOQ*	*Result*	*Method*	*Testing Lab*
Chemical Parameters						
Protein (N x 6.38)	g/100mL	0.02	0.20	9.56	FO0196	Bangkok

Comment : Sampling is not included in scope of accreditation ISO/IEC 17025

Protein (N x 6.38) = 33 g/340mL

Key:
- o LOD : Limit of Detection
- o "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	*Testing Lab*	*Method Descriptions*
FO0196	Bangkok	In-house method STM No.03-017 based on AOAC (2023) 981.10

Signatories

Porntip Buanoi
Assistant Manager - Food

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ISO/IEC 17025
Accreditation No. 1031/47

Analysis Report

Work Order	:	**BK2620429**	Date Received	:	Jun 09, 2026
Client	:	Crossmax Retail Co., Ltd.	Date Reported	:	Jun 15, 2026
		17/11 Soi Nawamin 111, Nawamin, Bueng Kum, Bangkok, Thailand, 10240	Report Number	:	BK2620429-AA
Project Location	:	Crossmax Retail Co., Ltd.			

Sample Number	BK2620429-001
Sampled Date	Jun 09, 2026
Sample Description	ผลิตภัณฑ์นมพาสเจอร์ไรส์โปรตีนสูง กลิ่นกล้วย สูตรปราศจากน้ำตาลแลคโตส (ตรา ฮูเร่!) Pasteurized High Protein Milk Product Banana Flavoured Lactose Free Formula (Hooray! Brand)
Date of Analysis	Jun 10, 2026
Condition of Sample	1x plastic bottle, refrigerated

Analytical Results

Analyte	*Unit*	*LOD*	*LOQ*	*Result*	*Method*	*Testing Lab*
Chemical Parameters						
Protein (N x 6.38)	g/100mL	0.02	0.20	9.71	FO0196	Bangkok
Lactose	g/100mL	0.03	0.10	Not Detected	FO0121	Bangkok

Comment : Sampling is not included in scope of accreditation ISO/IEC 17025

Key:
- o LOD : Limit of Detection
- o "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	*Testing Lab*	*Method Descriptions*
FO0121	Bangkok	In-house method STM No. 03-025 based on Journal of AOAC International, Vol.75, No.3, 1992, p.443-464
FO0196	Bangkok	In-house method STM No.03-017 based on AOAC (2023) 981.10

Lab result 9.71 g / 100 ml
= 33.0 g / 340 ml

ข้อมูลโภชนาการ(Nutrition Information)	
กินได้ 1 ครั้ง ต่อ 1 ขวด	1 serving per bottle
คุณค่าทางโภชนาการต่อการกินหนึ่งครั้ง: 1 ขวด (340 มล.) Amount per serving: 1 bottle (340 ml)	
พลังงาน Energy	240 กิโลแคลอรี 240 kcal
	ร้อยละของค่าอ้างอิงต่อวัน*(% Thai RDI*)
ไขมันทั้งหมด (Total fat) 4 ก. (g)	6%
ไขมันอิ่มตัว (Saturated fat) 3 ก. (g)	15%
คอเลสเตอรอล (Cholesterol) 25 มก. (mg)	8%
โปรตีน (Protein) 33 ก. (g)	
คาร์โบไฮเดรตทั้งหมด (Total carbohydrate) 17 ก. (g)	6%
น้ำตาลทั้งหมด (Total sugars) 7 ก. (g)	
โซเดียม (Sodium) 140 มก. (mg)	7%
โพแทสเซียม (Potassium) 490 มก. (mg)	14%
แคลเซียม (Calcium)	80 %
*ร้อยละของค่าอ้างอิงสารอาหารต่อวันสำหรับคนไทย จากความต้องการพลังงานวันละ 2,000 กิโลแคลอรี (Percent Thai Reference Daily intakes, based on a 2,000 kcal)	

Signatories

Jutharat Sriprasert
Assistant Manager - Food

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.